

IOBC/WPRS Bulletin
Vol. 22(1) 1999

Working Group "Integrated Control in Glasshouses". Proceedings of the Meeting at Brest (France), 25-29 May 1999. VII + 294 pp. Edited by: J.C. van Lenteren. ISBN 92-9067-105-X.

Integrated pest management in *Dendranthema indicum*.

Albert, R.	1
Integrated biological control of tomato crown and root rot by combination of chitosan with endophytic bacteria.	
Benhamou, N.	5
Integrated control of the South American leaf miner <i>Liriomyza huidobrensis</i> on UK glasshouse lettuce and Chinese leafy salad crops.	
Bennison, J., K. Maulden & G. Wardell	9
Percent parasitism and adult emergence of <i>E. formosa</i> from greenhouse whitefly pupae with multiple oviposition wounds.	
Bjørnson, S. & D. Elliott	13
Life table characteristics of the predatory gall midge <i>Feltiella acarisuga</i> .	
Brødsgaard, H.F., S. Jacobsen & A. Enkegaard	17
Protected cultivation and research on biological control pests in greenhouses in Brazil.	
Bueno, V. H. P.	21
Biological control of the two-spotted spider mite, <i>Tetranychus urticae</i> , on hardy nursery stock.	
Buxton, J.	25
Development of an integrated pest management program for fresh cut roses in US greenhouses.	
Casey, C., B. Murphy, M. Parrella, J. MacDonald	29
<i>Dicyphus hyalinipennis</i> Burm. (Heteroptera: Miridae) a potential biological control agent for glasshouse pests in Hungary.	
Ceglarska, E.B.	33
Biological control in France in 1998 under greenhouses.	
Courbet, S. & J.C. Maisonneuve	37
Parasitoid-induced mortality in the biological control of <i>Bemisia tabaci</i> on poinsettia.	
Courcy Williams, M. de & E. Wright	41
Effect of tomato conditioning on <i>Phytoseiulus persimilis</i> Athias-Henriot (Acari: Phytoseiidae) population growth.	
Croft P., J. Fenlon, R.J. Jacobson & J. Dubas	45
Effects of fungicides on a Fusarium sp. biological control agent of <i>Botrytis cinerea</i> stem infections in the perspective of an integrated management of fungal diseases in greenhouse tomatoes.	
Decognet, V. & P. Nicot	49
Protection of stem wounds against <i>Botrytis cinerea</i> in heated tomato greenhouses with a strain of <i>Fusarium</i> sp.	
Decognet, V., Y. Trottin-Caudal, C. Fournier, J.M. Leyre, P. Nicot	53
Factors influencing the adoption of biological control technologies in floriculture under glass.	
Dekeyzer, M.	57
Use of insect growth regulators to reduce rates of <i>Eretmocerus eremicus</i> needed for biological control of whiteflies on poinsettia.	
Driesche, R.G. van, M.S. Hodde, S. Lyon & J.P. Sanderson	61
Present use and future potential for biological control of pests and diseases in Danish	

glasshouses.	
Enkegaard, A., D. Funck Jensen, P. Folker-Hansen & J. Eilenberg	65
Laboratory rearing of the predatory gall midge <i>Feltiella acarisuga</i> .	
Enkegaard, A., S. Jacobsen & H.F. Brøsgaard	69
Evaluation of pheromone concentrate for control of tomato pinworm in greenhouse tomatoes.	
Ferguson, G.M., J.L. Shipp & D.W.A. Hunt	73
Biological control of lettuce aphids with the entomopathogenic fungus <i>Verticillium lecanii</i> in greenhouses.	
Fournier, V. & J. Brodeur	77
Biological control of <i>Botrytis cinerea</i> on tomato stem wounds with <i>Ulocladium atrum</i> .	
Fruit, L. & P. Nicot	81
Naturally occurring populations of <i>Encarsia pergandiella</i> (Hymenoptera: Aphelinidae) in tomato greenhouses.	
Gabarra, R., J. Arnó, O. Alomar & R. Albajes	85
Evaluation of <i>Cotesia marginiventris</i> (Cresson) (Hymenoptera: Braconidae) for biological control of <i>Trichoplusia ni</i> (Hübner) (Lepidoptera: Noctuidae) in greenhouse vegetable crops in British Columbia.	
Gillespie, D.R., R.R. McGregor & G. Opit	89
Control of watermelon insect pests by the use of multiple natural enemies.	
Goh Hyun Gwan	93
The effect of a neem-based insecticide on three important greenhouse pests.	
Gripwall, E.	97
Development of biological control methods for use in southwestern U.S. greenhouses and nurseries.	
Heinz, K.M., S.P. Thompson & P.C. Krauter	101
Surveying for non-diapausing predatory bugs for biological control of thrips pests in greenhouses during winter.	
Hirose, Y., Y. Nakashima, K. Shima, M. Takagi, K. Nagai, H. Kajita & S. Urano	105
An overview of natural enemy explorations and evaluations for <i>Bemisia</i> in the U.S.	
Hoelmer, K.A. & A.A. Kirk	109
Alternative food sources for thrips predators on cucumber: also a delicacy for the western flower thrips <i>Frankliniella occidentalis</i> .	
Hulshof, J. & I. Vänninen	113
<i>Scatella stagnalis</i> Fallen (Diptera: Ephydriidae): Towards IPM in protected lettuce crops.	
Jacobson, R.I., P. Croft & J. Fenlon	117
Biological control of aphids in ornamentals: importance of plant quality.	
Jansson, J. & B. Ekbom	121
Biological control of tomato pests in the Netherlands.	
Klapwijk, J. N.	125
The role of <i>Macroluphus caliginosus</i> (Het.: Miridae) in controlling the two-spotted spider mite in greenhouse tomato under North-european conditions.	
Koskula, H., I. Vänninen & I. Lindqvist	129
Control of two-spotted spider mite with <i>Amblyseius californicus</i> (Oud.) on croton.	
Kropczyska, D., A. Pilko, A. Witul & Al-Mabrouk Asshleb	133
Damage assessment of <i>Frankliniella occidentalis</i> (Pergande) (Thysanoptera) on strawberry under tunnels in Southern Italy.	
Laudonia, S. & G. Viggiani	137
Biological control of thrips: how far are we?	
Lenteren, J.C. van & A.J.M. Loomans	141
Management of whiteflies: new natural enemies and host-plant resistance.	
Lenteren, J.C. van, E. Meekes, Yu Tong Qiu	145
Insectivorous birds for biological control of pests in glasshouses.	

Linden, A. van der	149
Evaluating environmental effects of <i>Encarsia</i> species (Hymenoptera: Aphelinidae) introduced for whitefly control in Europe.	
Loomans, A.J.M. & J.C. van Lenteren.....	153
<i>Franklinothrips</i> : perspectives for greenhouse pest control.	
Loomans, A.J.M. & G. Vierbergen.....	157
Application of <i>Trichoderma harzianum</i> by using <i>Apis mellifera</i> as a vector for the control of grey mould of strawberry: first results.	
Maccagnani, B., M. Mocioni, M.L. Gullino & E. Ladurner.....	161
Interest of <i>Chrysoperla lucasina</i> in biological control in greenhouse.	
Maisonneuve, J.C. & C. Marrec	165
Some biological characteristics of <i>Amitus fuscipennis</i> MacGown & Nebeker (Hymenoptera: Platygasteridae), parasitoid of the greenhouse whitefly.	
Manzano, M.R., J. C. van Lenteren, C. Cardona.....	169
Potential for the biological control of <i>Franliniella occidentalis</i> (Pergande) with a nematode, <i>Thripinema nicklewoodi</i> (Siddiqi).	
Mason, J.M. & K.M. Heinz.....	173
Biological pest control in cucumbers in the Netherlands.	
Mulder, S., H. Hoogerbrugge, K. Altena & K. Bolckmans.....	177
Interaction between fungal pathogens and natural enemies: Implication for combined biocontrol of greenhouse pests.	
Murphy, B. D. von Damm-Kattari & M. Parrella	181
<i>Diglyphus isaea</i> (Walker) and <i>Macrolophus caliginosus</i> Wagner for biological control of <i>Liriomyza bryoniae</i> (Kaltenbach) in tomato.	
Nedstam, B. & M. Johansson-Kron.....	185
Integration of biological and chemical control in case of Japan.	
Ogata, Yoko.....	189
Implementation and development of IPM in greenhouse crops in Austria.	
Pleininger, S. & S. Blümel	193
Preliminary study on interplant movement and host location rate of five parasitoids of <i>Bemisia argentifolii</i> in small greenhouse.	
Qiu, Yu Tong, Y.C. Drost, O. da Silva da Graca & J.C. van Lenteren.....	197
Biological control of <i>Thrips tabaci</i> on protected leek seed crops.	
Rat-Morris, E.....	201
Development of an IPM system in soilless culture by using slow sand filtration and a biocontrol fungus, <i>Pythium oligandrum</i> .	
Rey, P., K. Picard, F. Déniel, N. Benhamou & Y. Tirilly.....	205
Pollen improves thrips control with predatory mites.	
Rijn, C.J. van, Y.M. van Houten & M.W. Sabelis.....	209
<i>Macrolophus caliginosus</i> Wagner (Heteroptera: Miridae): A predator causing damage to UK tomatoes.	
Sampson, C. & R.J. Jacobson	213
Biological Control of Sweet Pepper Pests in the Netherlands.	
Schelt, J. van.....	217
Biological control of the leafminer <i>Liriomyza trifolii</i> in Chrysanthemums: Implications for intraguild predation between <i>Diglyphus begini</i> and <i>Steinernema carpocapsae</i> .	
Sher, R.B. & M.P. Parrella	221
Economic injury levels for western flower thrips on greenhouse cucumber.	
Shipp, J.L., K. Wang & M.R. Binns.....	225
Biological control in ornamentals: An individual-based modelling approach.	
Skirvin, D.....	229
The effect of plant species on the biology of <i>Tetranychus urticae</i> and <i>Phytoseiulus</i>	

<i>persimilis</i> .	
Skirvin, D. & M. de Courcy Williams	233
Product control of <i>Phytoseiulus persimilis</i> (Athias-Henriot): current practice of a commercial producer.	
Steinberg, S., H. Cain & J. Kaminski.....	237
A simplified rearing method for <i>Stratiolaelaps (Hypoaspis) miles</i> (Acari: Laelapidae).	
Steiner, M., S. Goodwin & T. Wellham.....	241
Influence of humidity on the functional response of larvae of the gall midge (<i>Feltiella acarisuga</i>) feeding on spider mite eggs.	
Svendsen, M.S., A. Enkegaard & H.F. Brødsgaard	243
Experiences with insect exclusion screening of greenhouse vents in Ontario, Canada.	
Teerling, C.R. & G. Murphy.....	247
The use of plant growth promoting rhizobacteria (PGPR) to decrease the susceptibility of cucumber to spider mites.	
Tomczyk, A.	251
Life history parameters of <i>Aphidius colemani</i> (Hym.: Aphidiidae) on sweet pepper in different temperature regimes.	
Toussidou, M, M. de Courcy Williams & S. Leather.....	255
Tomate sous abri en France: méthodes et perspectives de lutte contre la pourriture grise due à <i>Botrytis cinerea</i> .	
Trottin-Caudal, Y., Ph. Nicot & V. Decognet	259
Integrated control of the green peach aphid <i>Myzus persicae</i> in sweet peppers using the nicotinyl insecticide Imidacloprid.	
Veire, M. van de, I. Vantournhout & L. Tirry	263
Development of biological control of <i>Trialeurodes vaporariorum</i> with <i>Encarsia formosa</i> and <i>Amitus fuscipennis</i> on greenhouse tomato in Colombia.	
Vis, R. De, L.E. Fuentes & J.C. van Lenteren	267
Typical Releasing Program (TRP) in biological and chemical control in greenhouse.	
Wada, Tetsuo.....	271
Effect of different prey amounts on the population development of the phytoseiid mites <i>Phytoseiulus persimilis</i> and <i>Neoseiulus californicus</i> in a single- and in a two-species system on detached rose leaves.	
Walzer, A. & S. Blümel.....	275
Evaluating the costs of biological pest control in protected crops.	
Wardlow, L.R., D.J. Fricker & M. Holmes	279
Developing a strategy for the control of <i>Spodoptera littoralis</i> with entomopathogenic nematodes in greenhouses.	
Williams, E., K. Walters & N. Dennis.....	283
A bioassay technique to determine the functional response of different predators of <i>Frankliniella occidentalis</i> in ornamentals.	
Wright, E. & M. de Courcy Williams.....	287
Recent advances in the study of biocontrol with indigenous natural enemies in Japan.	
Yano, E.....	291