

## IOBC/WPRS Bulletin

### Vol. 23(7) 2000

Working Group "Integrated plant protection in orchards",  
Proceedings of the International Conference on Integrated Fruit  
Production (4<sup>th</sup> ISHS Symposium on Integrated Fruit Production,  
10<sup>th</sup> IOBC Symposium on Integrated Plant Protection in  
Orchards), Leuven (Belgium), July 27 – August 1, 1998. 512 pp.  
Edited by W. Müller, F. Polesny, C. Verheyden & A.D. Webster.  
ISBN 92-9067-123-8.

Prefaces .....	5
List of papers and posters presented .....	11
Alphabetical list of authors .....	19
List of participants .....	21
Organic agriculture worldwide - a fast growing reality for 100 % pesticide reduction <i>B. Geier</i> .....	31
Risk minimisation in crop protection <i>P. Urech</i> .....	39
Integrated Fruit Production experiences in Trentino, Italy <i>C. Agnolin, C. Ioriatti, M. Pontalti and M.B. Venturelli</i> .....	45
The present status of Integrated Fruit Production in Catalonia (Spain) and the adjustment of the specific IFP pome fruit rules to the IOBC European guidelines <i>M. Viajeliu and L. Ballori</i> .....	51
Developments of Integrated Fruit Production in Hungary <i>P. Sallai, J. Lantos, M. Molnár, I. Kajati, T. Bubán, F. Inántszy and I. Eke</i> .....	57
Integrated Fruit Production in the forest-steppe zone of Ukraine <i>A.S. Tertyshny</i> .....	65
Status of Integrated Viticulture Production in Oregon <i>M.C. Candolfi-Vasconcelos, P. Lombard and T. Casteel</i> .....	71
Integrated Fruit Production for New Zealand pipfruit: pest management <i>P.W. Shaw, J.T.S. Walker, C.H. Wearing and S.J. Bradley</i> .....	79
The potential for the removal of organo-phosphate insecticides from stone-fruit production in the Goulburn Valley, Australia <i>D.J. Brown and A.L. Il'ichev</i> .....	85
Developments in pest management for Integrated Fruit Production of stonefruit in New Zealand <i>P.L. Lo, G.F. McLaren and J.T.S. Walker</i> .....	93
The use of mycorrhizal fungi in the growing of blueberry plants ( <i>Vaccinium corymbosum</i> L.) <i>Darinka Koron and Nada Gogala</i> .....	101
Effectiveness of predatory mites (Phytoseiidae) in controlling two-spotted spider mite ( <i>Tetranychus urticae</i> Koch) on black currants determined in field experiments <i>Edmund Niemczyk</i> .....	107
Meeting the demand for ecological modernization in horticulture: the role of systems approaches <i>R. Rabbinge and W.A.H. Rossing</i> .....	115

Action thresholds for managing apple scab with fungicides and sanitation <i>W.E. MacHardy</i> .....	123
Scab infection risks in relation to biological factors and the optimum spray-timing of modern fungicide families <i>A Creemers and A. Vanmechelen</i> .....	133
Three years of experience running an automatic apple disease information network <i>H. W. Denzer, G. Pessl and A. Berger</i> .....	141
Pedigree© and pedigree data and image wizard a data base to trace traits, draw pedigree and view images of 37 horticultural fruit crops <i>Shahrokh Khanizadeh, H.K. Hall and S.O. Prasher</i> .....	149
The simulation of pear scab ( <i>Venturia pirina</i> ) infection periods and epidemics under field conditions <i>J. Sobreiro and A. Mexia</i> .....	153
Integrated control of oriental fruit moth, <i>Grapholita molesta</i> , on peaches using a spray-date prediction model <i>T.L. Blomefield and B.N. Barnes</i> .....	161
The Warning Service of the Emilia-Romagna region in Italy: results and future perspectives <i>R. Bugiani, A. Butturini, L. Cobelli, P. Govoni and R. Tiso</i> .....	169
Growth regulation in IFP production systems <i>T. Deckers and E. Daemen</i> .....	179
Thinning cuts improved fruit colour and hastened fruit and tree maturity in autumn for 'Yataka Fuji' on MAC.9 <i>Yong-Koo Kim, Hae-Woong Jung, Il-Hwan Hwang and Hyeong-Ho Seo</i> .....	185
Tree-row-volume a new way for the registration of plant-protective agents in orchards? Results of 3-year field trials in Austrian apple orchards <i>R. Steffek, H. Reisenzein and U. Persen</i> .....	195
Fertigation in young apple orchards by using different forms of nitrogen <i>T. Bubán and T. Lakatos</i> .....	201
Effect of nitrogen-fertilizers and apple cultivars on aphids under IPM treatment conditions <i>A. Haltrich, J. Papp, J. Fail and L. Kis</i> .....	209
Applying a soil quality index to conventional, integrated. and organic apple production systems <i>J.D. Glover, P.K. Andrews and J.P. Reganold</i> .....	217
Hormonal physiology of mango malformation - an overview <i>Z. Singh</i> .....	229
Aspects of IFP for citrus production in Brazil <i>L. C. Donadio</i> .....	237
Sanitation from <i>Venturia inaequalis</i> using an antagonist <i>Athelia bombacina</i> to reduce ascospore inoculum <i>R. Fiaccadori and A. Cesari</i> .....	245
Field evaluation of pre-leaf fall applications to reduce the amount of apple scab inoculum <i>B. Heijne, J.M.T. Balkhoven-Baart, Th.S.G.M. Veens and R.H.N. Anbergen</i> .....	251
Chlorfenapyr, a novel IPM compatible resistance management tool for fruit production <i>P.K. Leonard</i> .....	257
Evidence of residual effects of CpGV in IPM programmes <i>G. Biache, M. Guillon and A.M. Waffelaert</i> .....	277

Integrated control of codling moth ( <i>Cydia pomonella</i> ) in Austria <i>F. Polesny</i> .....	285
Recent experiences and opinions on rosy apple aphid control in IPM managed orchards <i>D. Bylemans</i> .....	291
Bark beetles (Scolytidae) in Croatian orchards <i>I. Ciglar and B. Baric</i> .....	299
Progress on genetic transformation as a tool for increased disease resistance in apple <i>K. De Cubber, W. Broothaerts, T. Lenaerts and J. Keulemans</i> .....	309
Fruit tree genetic resources and Integrated Fruit Production <i>M. Lateur</i> .....	317
A four year experiment on the development of mite populations on scab resistant apples <i>V. Mercier, F. Combe, G. Fauvel, G. Marboutie and Y. Lespinasse</i> .....	325
Evaluation of integrated pest and disease management strategies for apple using disease resistant versus susceptible cultivars <i>A.M. Berrie and J.V. Cross</i> .....	331
Breeding for resistance to apple scab in Bulgaria <i>V. Djouvinov and R. Penev</i> .....	337
Winterhardness of apple cultivars and rootstocks <i>A. Bite and I. Drudze</i> .....	343
IFP: Competitive with quality and environmental care <i>W. Müller</i> .....	351
Conclusion of The Conference: International Conference on Integrated Fruit Production, conclusions and future activities <i>W. Müller, Chairman of the Scientific Committee</i> .....	353
The present status of Integrated Fruit Production <i>N.E. Looney</i> .....	354
Stone Fruit - Soft Fruit <i>P. Cravedi</i> .....	355
Warning Systems, Simulation Models <i>J. Cross</i> .....	356
Managing the Integrated Fruit Production orchard <i>T. Deckers</i> .....	357
Tropical and subtropical fruit <i>Z. Singh</i> .....	358
New plant protection tools for use in Integrated Fruit Production <i>F. Polesny</i> .....	359
Improved plant materials for Integrated Fruit Production <i>Y. Lespinasse</i> .....	360
<b>Posters:</b>	
Entomological outlook for IFP implementation in Uruguay <i>S. Nuñez</i> .....	363
Study on the frost tolerance of important apricot ( <i>Prunus armenica</i> L.) cultivars <i>Y. Akça, F. Muradolu and B. Murat Asma</i> .....	369
Aspects of apricot tree culture as related to the concept of sustainable fruit tree growing <i>V. Balan, A. Ivascu, S. Toma, M. Oprea and M. Isac</i> .....	377

Integrated raspberry production in Yugoslavia <i>M. Stanisavljevic and Z. Tesovic</i> .....	381
Effect of <i>Typhlodromus pyri</i> and <i>Amblyseius californicus</i> on the two-spotted spider mite population on black currants <i>E. Topa</i> .....	385
Integrated control of the strawberry mite ( <i>Phytonemus pallidus</i> ) in the nordic multi- year growing system <i>T. Tuovinen</i> .....	389
Bacterial canker of stone fruit trees: predisposition of the trees to the disease is affected by soil conditions and pruning through alteration of the winter stem water content <i>A. Vigouroux, C. Bussi and T. Girard</i> .....	393
Monitoring codling moth ( <i>Cydia pomonella</i> ) in pear orchards using pheromone traps <i>A. Baptista and J. Clemente</i> .....	399
Usefulness of 18 flowering cran apples as pollinizers for Macintosh <i>S. Khanizadeh, F. Saad, Y. Groleau and R. Granger</i> .....	403
San Jose Scale ( <i>Quadraspidiotus perniciosus</i> Comst.) male flight pattern monitoring by means of pheromone traps <i>F. Kocourek, J. Beránková and L. Streinz</i> .....	407
Studies on the effect of NPK fertilization on frost tolerance in the Hacihalilođlu apricot ( <i>Prunus armenica</i> L.) cultivar <i>Y. Akça, B. Murat Asma and C. Ayhan</i> .....	413
The analysis of light interception and leaf area index (LAI) in central leader 'Fuji/m26' and 'Jonagold/m26' apple orchards producing high yields and quality fruit <i>T. Asada and O. Arakawa</i> .....	421
Effectiveness of different groundcover materials to preserve soil water content in a young apple orchard <i>T. Lakatos and T. Bubán</i> .....	425
The potential for spent mushroom compost as a mulch for weed control in Bramley orchards <i>S. Mac An tSaoir and J. Mansfield</i> .....	427
Biological activity of glyphosate and its potential use in orchards <i>S. Sorin and E. Bucur</i> .....	431
Abundance of insect and mite species in some citrus orchards <i>E.M. Helal, A.R. Donia, M.M. Abd El-Hamid and E.A. Zakzouk</i> .....	443
Energy and nutrient inputs and outputs of a typical olive orchard in Northern Greece <i>M. Genitsatriotis, G. Chlioumis, B. Tsarouhas, K. Tsatsarelis and E. Sfakiotakis</i> .....	455
Effect of (2RS, 3RS) Paclobotrazol on tree vigour, flowering, fruit set and yield in mango <i>Z. Singh</i> .....	459
Effects of gibberellin A <sub>4</sub> /A <sub>7</sub> and blossom thinning on fruit set, retention, quality, shoot growth and return bloom of phalsa ( <i>Grewia asiatica</i> L.) <i>Z. Singh, G.P.S. Grewal and L. Singh</i> .....	463
Gibberellin A <sub>4</sub> /A <sub>7</sub> improved fruit set, retention, yield and quality of subtropical peach ( <i>Prunus persica</i> Batsch.) <i>Z. Singh, G.P.S. Grewal and L. Singh</i> .....	467

Fauna dynamics within a prototype Integrated Fruit Production orchard, Nova Scotia, Canada <i>R.F. Smith, C. O'Flaherty, S. Rigby, S.O. Gaul and H. Goulet</i> .....	473
Codling moth management by means of pheromone stations with <i>Cydia pomonella</i> granulosis virus <i>O. Pultar, F. Kocourek, J. Beránková, J. Stará, J. Kuldová and L. Hrdý</i> .....	477
Possibility of controlling powdery mildew on peach with acid electrolyzed water <i>A. Schörner and Y.T. Yamaki</i> .....	481
Strategy of peach breeding for resistance to diseases in Romania <i>A. Ivascu, V. Balan, S. Toma, M. Oprea, V. Severin, I. Mircea, D. Sonica, M. Isac</i> .....	489
A research on phenological and pomological characteristics of some plum cultivars grown in Tokat ecological conditions <i>M. Cünes, R. Gerçekçoglu and Y. Özkan</i> .....	499
Breeding for scab resistance in apple: evaluation of resistance in the greenhouse and in the field <i>E. Pauwels and J. Keulemans</i> .....	505