

## IOBC/wprs Bulletin Vol. 25(7) 2002

Working Group „Integrated control of soil pests”, Sub Group “Melolontha”,  
Proceedings of the meeting at Aosta (Italy), 24-26 September 2001. Editor: S.  
Keller. ISBN 92-9067-144-9 [x + 125 pp.]

Le hanneton en Vallée D'Aoste: Evolution de la situation depuis 1987 <i>Bondaz F., Junod E. &amp; Rosset R.</i> .....	3
Preliminary results of investigations on cockchafer flights in Austria from 1950-2000 <i>Cate P. C.</i> .....	7
Chemical orientation in <i>Melolontha</i> cockchafers <i>Ruther J., Reinecke A. &amp; Hilker M.</i> .....	15
Evaluation of a new <i>Steinernema</i> sp. of <i>Melolontha melolontha</i> and <i>Amphimallon solstitiale</i> <i>Peters A. &amp; Galarza M.</i> .....	23
Field trials with the entomopathogenic nematode <i>Heterorhabditis bacteriophora</i> against white grubs of the European cockchafer ( <i>Melolontha melolontha</i> ) in the southern part of Germany <i>Berner M. &amp; Schnetter W.</i> .....	29
Application of ISSR-PCR to characterise entomopathogenic nematodes within a selection program for higher efficiency against white grubs of the cockchafer ( <i>Melolontha</i> spp.) <i>Berner M. &amp; Schnetter W.</i> .....	35
Proteolytic activation and inactivation of Cry8C from <i>Bacillus thuringiensis japonensis</i> Buibui by proteolytic enzymes in the midgut juice of <i>M. melolontha</i> <i>Wagner W. &amp; Schnetter W.</i> .....	41
First field trials to control <i>Melolontha melolontha</i> with <i>Beauveria brongniartii</i> in Christmas trees in Denmark <i>Vestergaard S., Nielsen C., Harding S. &amp; Eilenberg J.</i> .....	51
How many spores of <i>Beauveria brongniartii</i> are needed to control <i>Melolontha melolontha</i> populations? <i>Keller S., Kessler P., Jensen D. B. &amp; Schweizer C.</i> .....	59
Were control measures responsible for the decline of <i>Melolontha</i> populations in South Tyrol? <i>Schweigkofler W. &amp; Zelger R.</i> .....	65
Résultats des contrôles des épandages à la volée de graines enrobées de <i>Beauveria brongniartii</i> <i>Bondaz F., Guglielmo F. &amp; Rosset R.</i> .....	73
Preliminary results on the efficacy of <i>Beauveria</i> -Schweizer in the Kaiserstuhl area after a three year period <i>Maass F.</i> .....	79
Applying <i>Beauveria brongniartii</i> into the planting holes – results of a recent trial <i>Fröschle M.</i> .....	85
Microsatellite markers in <i>Beauveria brongniartii</i> : a sensitive and efficient method for strain characterisation and identification <i>Enkerli J., Widmer F. &amp; Keller S.</i> .....	91
Growth and persistence in the Aosta Valley of highly virulent and genetically recognizable strains of the entomopathogenic fungus <i>Beauveria brongniartii</i> <i>Dolci P., Ozino O. I., Guglielmo F., Prato P. &amp; Secchi F.</i> .....	97
Virulence and attenuation of entomopathogenic <i>Beauveria brongniartii</i> strains <i>Pernfuss B., Schweigkofler W., Abendstein D. &amp; Strasser H.</i> .....	103
Interactions of <i>Beauveria brongniartii</i> with soils under different application regimes <i>Kessler P. &amp; Keller S.</i> .....	109
Different formulations of the entomopathogen <i>Beauveria brongniartii</i> : first results on persistence, virulence and application <i>Baur A., Zelger T., Horaczek A., Schweigkofler W., Viernstein H. &amp; Zelger R.</i> .....	115
Solid substrate fermentation versus liquid fermentation <i>Zimmermann G. &amp; Jung K.</i> .....	121