

IOBC/wprs Bulletin Vol. 28(3) 2005

Working Group "Insect Pathogens and Insect Parasitic Nematodes", 9th European Meeting "Growing Biocontrol Markets – Challenge Research and Development" at Schloss Salzau, Kiel (Germany), 23-29 May 2003. Edited by: Bernard Papierok. ISBN 92-9067-175-9 [xviii + 214 pp.]

| | |
|---|-----|
| Potential of entomopathogenic nematodes for biological control of selected pest insects infesting urban trees <i>Marek Tomalak</i> | 3 |
| Use of Italian EPNs in controlling <i>Rhytidoderes plicatus</i> Oliv. (Coleoptera, Curculionidae) in potted savoy cabbages <i>Eustachio Tarasco, Oreste Triggiani</i> | 9 |
| Initial results in the application of entomopathogenic nematodes against the European cherry fruit fly <i>Rhagoletis cerasi</i> L. (Diptera, Tephritidae) <i>Kirsten Köppler, Arne Peters, Heidrun Vogt</i> | 13 |
| Developing entomopathogenic nematode delivery systems for biological control of oilseed rape pests <i>Ingeborg Menzler-Hokkanen, Heikki M.T. Hokkanen</i> | 19 |
| Preference of Italian <i>Heterorhabditis</i> for different <i>Photorhabdus</i> bacterial types <i>Eustachio Tarasco, M.R. Enright, C.T. Griffin</i> | 23 |
| Dessication tolerance of six Italian strains of entomopathogenic nematodes <i>Eustachio Tarasco, C.T. Griffin</i> | 27 |
| Abundance of naturally occurring entomopathogenic nematodes and establishment of inoculated <i>Steinernema feltiae</i> in an organic cropping system <i>Otto Nielsen, Holger Philippsen</i> | 31 |
| Sublethal effects of the parasitic nematode <i>Phasmarhabditis hermaphrodita</i> on the slug <i>Deroceras panormitanum</i> and the snail <i>Oxyloma pfeifferi</i> <i>Ingo Schüder, Gordon Port, Jude Bennison, Heather Maher</i> | 35 |
| Slug parasitic nematodes in vegetable crops <i>Albert Ester, Hilfred Huiting, Klaas van Rozen</i> | 39 |
| Natural occurrence and spatial distribution of <i>Beauveria bassiana</i> and <i>Metarhizium flavoviride</i> in a Danish agro-ecosystem <i>Nicolai Vitt Meyling, Jørgen Eilenberg</i> | 45 |
| Observations on the occurrence of Entomophthorales in Austria <i>Marek Barta, Siegfried Keller, Peter Cate, Rudolf Wegensteiner</i> | 49 |
| Insect species used as baits for isolation of entomopathogenic fungi from the soil <i>Ryszard Mietkiewski, Cezary Tkaczuk</i> | 53 |
| Factors affecting viability of entomophthoralean fungi <i>Zigrida Cudare</i> | 61 |
| Influence of the temperature of reisolation on the virulence of the entomopathogenic fungus <i>Verticillium lecanii</i> <i>Natalja Hetsch, Helga Sermann, H. Bochow</i> | 65 |
| Records of aphidophagous Entomophthorales in Slovakia <i>Marek Barta, Ludovít Cagán</i> | 69 |
| Why does <i>Beauveria bassiana</i> predominate over <i>Metarhizium anisopliae</i> in soils from southern Spain? <i>C. Santiago-Alvarez, J. Fernández-Castellá, E.A.A. Maranhão, P. Valverde-García, E. Quesada Moraga</i> | 73 |
| The efficacy of <i>Verticillium lecanii</i> against whitefly in sweet pepper and tomato in Spain <i>Jan van der Blom, María Lafuente, Magda Galeano, Estefanía Perez, Alberto Urbaneja, Rick van der Pas, Willem Ravensberg</i> | 77 |
| Western flower thrips: biological control in greenhouse with <i>Verticillium lecanii</i> <i>Ulrike Meyer, Helga Sermann, Carmen Büttner</i> | 81 |
| Field testing of new biocontrol strategies to decrease the population density of <i>Melolontha hippocastani</i> , an important scarab species in Germany <i>Kerstin Jung, J. Gonschorrek, J. Ruther, G. Zimmermann</i> | 85 |
| Advances in the development of novel control methods against chicken mites (<i>Dermanyssus gallinae</i>) <i>Tove Steenberg, Ole Kilpinen, Jørgen B. Jespersen, Maria Desamparados Soler Cruz, Carmen Vega Robles, Mike Birkett, Sarah Dewhurst, John Pickett</i> | 89 |
| Risk assessment of <i>Beauveria brongniartii</i> for three carabid beetles <i>Sonja Weissteiner, Hermann Strasser, Michael Traugott</i> | 93 |
| Virulence of <i>Paecilomyces fumosoroseus</i> and <i>Paecilomyces lilacinus</i> on <i>Trialeurodes vaporariorum</i> <i>Ayan Gökçe, M. Kubilay Er</i> | 97 |
| Growth, persistence and virulence of strains of the entomopathogenic fungus <i>Beauveria brongniartii</i> in different pedoclimatic conditions of the Aosta Valley (Northwest Italy) <i>Paola Doci, Olga I. Ozino</i> | 101 |
| Biocontrol of <i>Melolontha melolontha</i> : the fate of a <i>Beauveria brongniartii</i> biocontrol strain in the field <i>Jürg Enkerli, Philip Kessler, Franco Widmer, Siegfried Keller</i> | 105 |
| A GLP/GEP based field study on <i>Beauveria brongniartii</i> with respect to Commission Directive 2001/36/EC <i>T. Längle, T. Bauer, B. Pernfuß, C. Seger, J. Raffalt, H. Strasser</i> | 109 |
| Selection of resistant European Corn Borer (<i>Ostrinia nubilalis</i>) to Bt-corn and preliminary studies for the biochemical characterization <i>Renate Kaiser-Alexnat, Wolfgang Wagner, Gustaf-Adolf Langenbruch, Regina G. Kleespies, Brigitte Keller, Thomas Meise, Bernd Hommel</i> | 115 |
| Insect resistance to <i>Bacillus thuringiensis</i> <i>Juan Ferré</i> | 119 |
| Oral toxicity of <i>Photorhabdus temperata</i> against <i>Frankliniella occidentalis</i> and <i>Thrips tabaci</i> <i>Lonne J.M. Gerritsen, Gerrie L. Wiegers</i> | 123 |

| | |
|--|-----|
| Future potential for biological control in Latvia: occurrence and natural viability of baculoviruses <i>Līga Jankevica, Ivars Zarins</i> | 131 |
| Understanding the mechanism of increasing susceptibility of insects to baculovirus by fluorescent brightener <i>Said El-Salamouny, Regina G. Kleespies, Jürg Huber</i> | 135 |
| Competition in insect larvae between wild-type baculovirus (<i>Spodoptera exigua</i> nucleopolyhedrovirus) and a marked recombinant with enhanced speed of action <i>Liljana Georgievska, Renate Velders, Xiaojiang Dai, Felix J.J.A. Bianchi, Wopke van der Werf, Just. M. Vlaskovits</i> | 141 |
| Morphology, pathology and phylogeny of <i>Cystosporogenes legeri</i> , a microsporidium of the European grape wine moth, <i>Lobesia botrana</i> Den. et Schiff. <i>Regina G. Kleespies, M. Lange, J.A. Jehle</i> | 149 |
| Occurrence of pathogens in bark beetles (Coleoptera, Scolytidae) from Alpine pine (<i>Pinus cembra</i> L.) <i>Uwe Händel, Rudolf Wegensteiner</i> | 155 |
| Laboratory evaluation of <i>Malamoeba scolyti</i> Purrini (Rhizopoda, Amoebidae) in different bark beetle hosts (Coleoptera, Scolytidae) <i>Joachim-Friedrich Kirchhoff, Rudolf Wegensteiner, Jaorslav Weiser, Erwin Führer</i> | 159 |
| Preliminary survey on the occurrence of entomopathogenic nematodes and fungi in Albanian soils <i>Eustachio Tarasco, Michele Poliseo</i> | 165 |
| Laboratory evaluation of microbial control products on the Mediterranean flour moth <i>Ephesia kuehniella</i> (Zeller) (Lepidoptera, Pyralidae) <i>M. Anagnou-Veroniki, D.C. Kontodimas, S. Chaleplidi, A.G. Georgiadou, H. Menti</i> | 169 |
| The potential of entomopathogenic fungi and nematodes against strawberry root weevil <i>Otiorhynchus ovatus</i> L. (Coleoptera, Curculionidae) <i>Cezary Tkaczuk, Barbara H. Labanowska, Anna Augustyniuk-Kram</i> | 173 |
| Evaluation of two microbial products and an insecticide for integrated thrips control in glasshouse chrysanthemums <i>Ellen Beerling, Dick van der Berg</i> | 179 |
| Natural enemies applied in biological pest control: pathogens in field and mass-reared populations <i>Conny Schütte, Susan Bjørnson, Regina G. Kleespies, Alois M. Huger</i> | 185 |
| EPPO based efficacy study to control <i>Phyllopertha horticola</i> in golf courses <i>Hermann Strasser, Roland Zelger, Barbara Pernfuss, Tobias Längle, Christoph Seger</i> | 189 |
| Safety of entomopathogenic fungi <i>E. Quesada-Moraga, P. Valverde-García, E.A.A. Maranhão, C. Santiago-Álvarez</i> | 195 |
| Risk assessment of biological nematicides <i>Sebastian Kiewnick, Christos Roumpfos, Richard Sikora</i> | 201 |
| The EU BIPESCO project – latest results on safety of fungal biocontrol products <i>Hermann Strasser, Tariq M. Butt</i> | 207 |
| A risk assessment framework for biological control agents: the ERBIC approach <i>Heikki M.T. Hokkanen</i> | 211 |