

IOBC/wprs Bulletin Vol. 29(6) 2006

Working Group "Landscape management for functional biodiversity" at Zürich-Reckenholz (Switzerland), 16-19 May 2006. Edited by: Walter A.H. Rossing, Lisa Eggenschwiler, Hans-Michael Poehling. ISBN 92-9067-189-9 [viii + 168 pp.].

The impact of decaying straw banks on the arthropod complex in an agroecosystem <i>Valentina M. Afonina, Wladimir B. Tshernyshev, Alexander V. Timokhov, Eugeny E. Bokhovko, Rimma R. Seyfulina, Anton V. Sujazov</i>	1
Selection of insectary plants for ecological infrastructure in Mediterranean vegetable crops <i>Oscar Alomar, Rosa Gabarra, Oriol González, Judit Arnó</i>	5
Modelling effects of land use on spatial ecology, energy budgets and population viability in the ladybeetle <i>Coccinella septempunctata</i> <i>Felix J.J.A. Bianchi, Wopke van der Werf, Alois Honěk</i>	9
Functional biodiversity: A success story in vineyards of Northern Switzerland <i>Ernst F. Boller</i>	13
Functional biodiversity at the farm level as seen by IOBC <i>Ernst F. Boller</i>	17
Landscape management as a «sustainable agriculture» tool: the role of local administration and research in the Emilia-Romagna region (northern Italy) <i>G. Burgio, G. Puppi, M. Genghini, D. Sommaggio, G. De Geronimo, C. Malavolta</i>	21
Landscape effects on the abundance of Lepidopteran pests in Brussels sprouts <i>E. den Belder, J. Elderson, G. Schelling</i>	25
Success stories in landscape management for functional biodiversity: an assessment from 5 west-European countries <i>Geert de Snoo, Giovanni Burgio, Lisa Eggenschwiler, Bärbel Gerowitt, Juliane Mante, Wilf Powell, Frans van Alebeek, Steven Kragten, Walter Rossing</i>	29
Spatial interactions between a parasitoid and flowering plant strips in an agroecosystem <i>Silvia Dorn, Heike Wanner, Hainan Gu, Bodo Hattendorf, Detlef Günther</i>	33
Soil structure and abundance of the entomopathogenic soil fungus <i>Metarhizium anisopliae</i> in wildflower strips <i>Lisa Eggenschwiler, Rita Iseli, Katja Jacot</i>	37
Contribution of sown wildflower areas to cereal aphid control: from local to landscape scale <i>Reto Flückiger, Martin H. Schmidt</i>	41
Exploring the potential of green veining to support pest management: a multi-scale optimization approach <i>Jeroen C.J. Groot, Walter A.H. Rossing, Eveliene Steingröver, Willemien Geertsema</i>	45
Enhancement of the Dock Leaf Beetle (<i>Gastrophysa viridula</i> Deg.; chrysomelids) by extensive grassland management <i>Patrick Hann, Bernhard Kromp</i>	49
Regional adjustment of result-oriented agri-environmental schemes rewarding ecological goods on arable land is necessary <i>Annika Höft, Bärbel Gerowitt</i>	53
The relative merits of field and boundary habitats for conservation biocontrol <i>John Holland, Sue Southway, Tom Birkett, Steve Moreby</i>	57
Rotational fallows in support of functional biodiversity <i>Erja Huusela-Veistola, Terho Hyvönen</i>	61
The role of ecological compensation areas on spider assemblages in crop fields in Switzerland <i>Philippe Jeanneret, Stéphanie Aviron, Béatrice Schüpbach, Thomas Walter, Félix Herzog</i>	65
Effects of field management, environment and landscape context on vascular plant species diversity in managed grasslands <i>Sebastian Klimek, Johannes Isselstein, Horst-Henning Steinmann</i>	69

Structures of projects on nature conservation and their impact for subsequent activities – Practical experiences in arable regions <i>Juliane Mante, Bärbel Gerowitt</i>	73
Field margin structure and vegetation composition effects on beneficial insect diversity at farm scale: a case study on an organic farm near Pisa (Italy) <i>Camilla Moonen, Nathaly Castro Rodas, Paolo Bàrberi, Ruggero Petacchi</i>	77
The importance of alpine pasturing for the conservation of biodiversity - Intermediate results of the Interreg III B – project AlpNaTour <i>Susy Moroder Mair, Helga Tröbinger, Sarah Fee Klever, Flavio V. Ruffini</i>	81
Overwintering ecology of <i>Coccinella septempunctata</i> , <i>Beauveria bassiana</i> and <i>Dinocampus coccinellae</i> <i>E.L. Ormond, J.K. Pell, A.P.M. Thomas and H.E. Roy</i>	85
The role of cultivars on the structure of oilseed rape entomofauna <i>Nedyalka Palagacheva, Mariana Ivanova, Antonia Mateeva</i>	89
Establishment of a polyphagous mirid predator in the crop: The importance of non- cultivated plants <i>Dionyssios Perdikis, Argyro Fantinou, Anna Kourti, Antonios Paraskeuopoulos, Dionyssios Lykouressis</i>	93
Wildflower strips to reduce lepidopteran pests in cabbage crops <i>Lukas Pfiffner, Henryk Luka, Christian Schlatter, Martin Lichtenhahn</i>	97
Functional biodiversity of aphid natural enemies: positive intra-guild interactions <i>Wilf Powell, Judith Pell, Yoshitaka Nakashima, Jason Baverstock, Michael Birkett</i> .	101
Can geostatistics improve the understanding of spatio-temporal dynamics of soil arthropods within ecological infrastructures at farm-scale level? <i>Fabio Ramilli, Giovanni Burgio, Roberto Fabbri, Benedetta Tosio, Marco Vignudelli, Paola Rossi Pisa</i>	105
Role of spontaneous plants as a reservoir of alternative hosts for <i>Semiolacher petiolatus</i> (Girault) and <i>Citrostichus phyllocnistoides</i> (Narayanan) (Hymenoptera, Eulophidae) in citrus groves <i>Maria Concetta Rizzo, Valentina Lo Verde, Virgilio Caleca</i>	109
Potential impacts of <i>Harmonia axyridis</i> on functional biodiversity <i>H.E. Roy, P.M.J. Brown, R.L. Ware and M.E.N. Majerus</i>	113
Spatial and temporal variation in carabid seed predation <i>Pavel Saska, Paula Westerman, Wopke van der Werf</i>	117
Impact of low-input plant protection on functional biodiversity in wheat and pea <i>Kerstin Schumacher, Bernd Freier</i>	121
Multi scale modeling of effective infection pressure from <i>Phytophthora infestans</i> <i>P. Skelsey, A.F.J. Jacobs, P. Hofschreuder, G.J.T. Kessel, W.A.H. Rossing, W. van der Werf</i>	125
Landscape resources vs. commercial biocontrol agents in the protection of greenhouse sweet pepper – a new exploratory project in Hungary <i>Ferenc Tóth, Andrea Veres, Szilvia Orosz, Kinga Fetykó, József Brajda, Attila Nagy, Gergely Bán, Péter Zrubecz, Ágnes Szénási</i>	129
Ways to support a natural self-regulation in agrolandscape <i>Wladimir B. Tshernyshev</i>	133
Improving natural pest suppression in arable farming: field margins and the importance of ground dwelling predators <i>Frans van Alebeek, Jan-Hendrik Kamstra, Gijs van Kruistum, Andries Visser</i>	137
A region-wide experiment with functional agrobiodiversity (FAB) in arable farming in the Netherlands <i>Frans van Alebeek, Menko Wiersema, Paul van Rijn, Felix Wäckers, Eefje den Belder, Jeroen Willemse, Henny van Gorp</i>	141
The influence of local and landscape characteristics on insect pest population levels in viticulture	

<i>Maarten van Helden, Elodie Fargeas, Magali Fronzes, Olivier Maurice, Mélissa Thibaud, Frédéric Gil, Guillaume Pain</i>	145
The impact of floral resources on syrphid performance and cabbage aphid biological control	
<i>Paul C.J. van Rijn, Jurgen Kooijman, Felix L. Wäckers</i>	149
The damage pattern of <i>Helicoverpa armigera</i> and <i>Ostrinia nubilialis</i> on maize in relation to landscape attributes - comparing two databases of Hungary at country level	
<i>Andrea Veres, Ferenc Tóth, Gábor Szalkai</i>	153
The egg parasitoids of the genus <i>Anagrus</i> (Hymenoptera: Mymaridae) as functional biodiversity of the vineyard agroecosystem	
<i>G. Viggiani, A. Di Luca, G. Matteucig</i>	157
Flower power? Potential benefits and pitfalls of using (flowering) vegetation for conservation biological control	
<i>F.L. Wäckers, P.C.J. van Rijn, K. Winkler, D. Olson</i>	161
Strategic use of nectar sources to boost biological control	
<i>Karin Winkler, Felix Wäckers, Joop van Lenteren</i>	165